# REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

			IE ABOVE ORGANIZATIO	ON.			
	PORT DATE (DD-MM-YYYY) 2. REPORT TYPE 31-05-2013 Journal Article				3. DATES COVERED (From - To)		
4. TITLE AND S	SUBTITLE	I.			5a. CON	NTRACT NUMBER	
Unusual Bloom	n of Tetraselm	is sp. in the Va	lparasiso Bay, Chile		5b. GRA	ANT NUMBER	
					E. DDO	OGRAM ELEMENT NUMBER	
					oc. PRO		
						0602435N	
6. AUTHOR(S)					5d. PRO	OJECT NUMBER	
Marlene Pizarr	ro, R. Iturriaga	, Alejandro Sil	va, Sonia C. Gallegos				
					5e TAS	SK NUMBER	
					oc. TAG	N NOMBER	
					5f. WOF	RK UNIT NUMBER	
						73-6054-A0-5	
7 PERFORMING	G ORGANIZATI	ON NAME(S) AN	ID ADDRESS(ES)			8. PERFORMING ORGANIZATION	
		OIL ILANIE(O, AI	ID ADDITECTOR			REPORT NUMBER	
Naval Research Laboratory Oceanography Division						NRL/JA/7330-10-0430	
Stennis Space		529-5004					
	,						
9. SPONSORIN	G/MONITORING	AGENCY NAM	E(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)	
Office of Nava						ONR	
One Liberty Co						93.33	
875 North Ran		Suite 1425				11. SPONSOR/MONITOR'S REPORT	
Arlington, VA 22203-1995					NUMBER(S)		
12. DISTRIBUTI	ON/AVAILABILI	TY STATEMENT					
Approved for p	public release,	distribution is	unlimited.				
13. SUPPLEMEN	NTARY NOTES						
	elmis sp. was obse		rst days of January of 2006 i of Tetraselmis sp. have not b			r'S; 71° 33'W), producing green coloration of sea and	
15. SUBJECT T	FRMS						
		bloom Coast	of Central Chile, High	Nutrients W:	ater Strati	ification	
redusemms, pr	ny topianktome	bioom, coust	or contrar chine, riigir	rations, w	ater Strati	moundi	
16. SECURITY (	CLASSIFICATIO	N OF:	17. LIMITATION OF	18. NUMBER	19a. NAN	ME OF RESPONSIBLE PERSON	
	b. ABSTRACT	c. THIS PAGE	ABSTRACT	OF	Sonia G		
Unclassified	Unclassified	Unclassified	UU	PAGES 4		EPHONE NUMBER (Include area code) (228) 688-4867	

Pubkey: 6968 PUBLICATION OR PRESENTATION RELEASE REQUEST NRLINST 5600.2 3. ADMINISTRATIVE INFORMATION REFERENCES AND ENCLOSURES 2 TYPE OF PUBLICATION OR PRESENTATION Abstract only, published Abstract only, not published STRN <u>NRLJIA7330-10-430</u> Book Ref: (a) NRL Instruction 5600.2 Book chapte Route Sheet No. 7330/ Conference Proceedings Conference Proceedings (b) NRL Instruction 5510.40D Job Order No. 73-6054-A0-5 (refereed) (not refereed) Multimedia report Classification ) Invited speaker Encl: (1) Two copies of subject paper Journal article (refereed) Journal article (not refereed) (or abstract) ONR Sponsor Oral Presentation, published Oral Presentation, not published Х approval obtained по ) Other, explain 4. AUTHOR PROBES Title of Paper or Presentation Unusual Bloom of Tetraseimis sp. in the Valparaiso Bay, Chile Author(s) Name(s) (First, MI, Last), Code, Affiliation if not NRL Marlene Pizarro, R. Iturriaga, Alejandro Silva, Sonia C. Gallegos It is intended to offer this paper to the (Name of Conference) Continental Shelf Research Ecology Progressive Series, Unclassified and/or for publication in 🛮 🚟 (Name of Publisher) (Name and Classification of Publication) After presentation or publication, pertinent publication/presentation data will be entered in the publications data base, in accordance with reference (a). It is the opinion of the author that the subject paper (is \_\_\_\_\_) (is not \_  $\stackrel{X}{
ightharpoons}$ ) classified, in accordance with reference (b). This paper does not violate any disclosure of trade secrets or suggestions of outside individuals or concerns which have been communicated to the Laboratory in confidence. This paper (does \_\_\_\_\_) (does not \_\_\_\_X) contain any militarily critical technology. This subject paper (has ) (has never X ) been incorporated in an official NRL Report. Sonia C. Gallegos, 7331 Name and Code (Principal Author) (Signature) 5. ROUTING/APPROVAL ..... CODE COMMENTS SIGNATURE Need by Author(s) Gallegos Publicly accessible sources used for this publication Section Head Gould Branch Head Robert A Arnone, 7330 Release of this paper is approved. Division Head 2. To the best knowledge of this Division, the subject matter of this paper (has みいれゅ (has never X ) been classified. Ruth H. Preller, 7300 Security, Code I. Paper or abstract was released. . A copy is filed in this office. 1226 Office of Counsel, Code 1008.3 ADOR/Director NCST E. R. Franchi, 7000

Public Affairs (Unclassified/ Unlimited Only), Code 7030.4

Division, Code Author, Code

: <u> </u>			manufacture.
PUBLICATION OF PRESE	ENTATION DELEASE DESCRIPTION	10-122	6-32-5 NRLINGT 5800.2
Employment of the Control of the Con	ENTATION RELEASE REQUES	IUILL	NRLINGT 5600.2
	( ) Abstract only, published (	) Abstract only, not published	STRN NRLUA/7530-10-430
Ref; (a) NRL Instruction 5600,2	( ) Book / (	Book chapter	Route Sheet No. 7330/
(b) NRL Instruction 5510.40D	(refereed)	Conference Proceedings (not refereed)	Job Order No. 73-6054-A0-5
End: (1) Two copies of subject paper	er ( ) Invited speaker ( )	Multimedia report	Classification X U C
(or abstract		Journal article (not refereed)	Sanner ONE / 2 CM
	( ) Other, explain	Oral Presentation, not publis	approval obtained yes X no
TOTAL PROPERTY STANDARD TO THE TOTAL PROPERTY OF TOTAL PROPERTY OF THE TOTAL PROPERTY OF	EMPERATION DESCRIPTION OF THE PROPERTY OF THE	Commission of the Commission o	) jes 110
Title of Paper or Presentation		The state of the s	manner marining and an article of the control of th
Unusual Bloom of Tetraselmis *p.	in the Valparaiso Bay, Chile		
Author(s) Name(s) (First, MI, Last),	Code: Affiliation if not NRL		
Mariene Pizarro, R. Iturriaga, A	Alejandro Silva, Sonia C. Gallegos		,
	,		
!			!
			,
It is intended to affer this paper to	the		.
		(Name of Conference)	
		<u> </u>	
Continen	tal Shelf Research	tion of Conterence)	
and/or for publication in	Toolegy Progressive Series, Unclass		
/ Andrew tor publication in	Name and Classification of Publication)	enied	
After presentation or publication, r	pertinent publication/presentation data w	ill be entared in the public	(Name of Publisher)
Tribit ( Cicianoc (a),		i	l l
It is the opinion of the author that t	the subject paper (is) (is notX	) classified, in accordance	with reference (b).
Ling haper opes not alors (6 8UA di	ISCIOSUTE OI ITADA SACTAIS OF SHAAAAIAAA	infoliación individuale	
Commence of the facting of a	n confidence. This paper (does) ( as neverX) been incorporated in an	Morro not VI1-1-	ny militarily critical technology.
) (III	15 hever	official NKL Report,	100
Soni	ia C. Gallegos, 7331	Vones	a dallyn
Name ar	nd Code (Principal Author)	- 32077	(Signature)
	Constitution of the control of the c	CONTROL CONTRO	(Signatore)
CODE	de describition in the bill of was writer of also grickential back.		The manufacture of williams and the same and a second
CODE	SIGNATURE	DATE	COMMENTS
Author(s)	1 - /11	- ( )	North 01 500 10
Gallegas	Long self	8/16/2010	Need by 540 10
0		0/10/00	The delication
	-	<u> </u>	Publicly accessible sources used for this publication
	-		
	****		This is a Final Security Review
Section Head			Any changes made in the document
Gould	12 IN Moral	8/17/10	after approved by code 1226
Branch Head	122	0) 51/8	nullify the Security Review
Robert A Arnone, 7330	1 Cleme	8/17/13	
Division Head		<del></del>	Release of this paper is approved.
<b>5</b> 6. 11 12 50 11			2. To the best knowledge of this Division, the subject matter of this paper (has)
Ruth H. Preller, 7300	1 ( ) white I	811716	(has noverx_) been dissilled.
Security, Code			Paper or abstract was released.
1226	· ~~ ten C	13/17/10	2. A copy it filed in this office,
Office of Counsel,Code 1008.3	Martin (1)	71 20	
ADOR/Director NCST	LOWING THE WAY	8/35110	Sparson (approved
E. R. Franchi, 7000	]		Outer 1 of
Public Affairs / Inclassified/	100		ttlached
Unlimited Only), Code 7030.4	IXXX M M AND POOL OF AN I	8 23/10	
	Marian	1010/10	1.3.1000 40 ca.1.
Division, Code	i i		111000 - 1
Author, Cade			
	<u>]</u>	į Į	
Q-NRL 5511/6 (Rev. 12-96) (e)	THIS FORM CANCELS AND SUPER		

# Un inusual bloom de Tetraselmis sp. en la Bahía de Valparaíso, Chile

# Unusual bloom of *Tetraselmis* sp. in the Valparaiso Bay, Chile

Marlene Pizarro<sup>1</sup>, Rodolfo Iturriaga<sup>2</sup>, Alejandro Silva<sup>3</sup> & Sonia Gallegos<sup>4</sup>

### **ABSTRACT**

A bloom of *Tetraselmis* sp. was observed during the first days of January of 2006 in the Valparaiso Bay (32° 57'S; 71° 33'W), producing green coloration of sea and exclusion of phytoplankton species. Previous blooms of *Tetraselmis* sp. have not been observed in this bay.

La Bahía de Valparaíso durante primavera-verano se encuentra en una dinámica de surgencias, por lo que la población fitoplanctónica está dominada principalmente por diatomeas (Avaria 1971, Alveal & Avaria 1982).

Tetraselmis spp. son fitoflagelados que pertenecen al grupo Prasinophyceae, registrado en la Bahía de Valparaíso (Padilla 1975). No es representativo del fitoplancton del área, sin embargo, una especie de este grupo produjo un bloom en toda la bahía.

Collantes & Prado (2006) registraron una densidad entre 3 a 5 x10<sup>5</sup> cel ml<sup>-1</sup>, produciendo una coloración verde en el mar y caracterizándose por ser monoespecífico, cambiando la composición poblacional del fitoplancton típico de surgencia durante ese periodo. Ocasionalmente se presentó escasa presencia de las especies *Asteromonas gracilis*, *Chlamydomonas* sp., *Chaetoceros* sp. y *Skeletonema costatum*. Las concentraciones de nitratos y fosfatos alcanzaron valores mayores a 30 y 20 µmol l<sup>-1</sup>, respectivamente. Sin embargo, el 5 de enero de 2006, los niveles de fosfato decrecieron abruptamente entre 0,3 y 0,8 µmol l<sup>-1</sup> y al mismo tiempo los niveles de nitrato cayeron bajo el límite de detección.

Otros dos blooms de *Tetraselmis* sp. han sido descritos en diferentes lugares: uno en Frank Kitts Lagoon, Wellington Harbor, Nueva Zelanda el 10 de diciembre de 1993 (Jones & Rhodes 1994) y el otro en Saldanha Bay, Sudáfrica, el 15 de enero de 2003 (Sym *et a*l. 2004). Durante el bloom de Frank Kitts Lagoon, *Tetraselmis* sp. alcanzó concentraciones entre 773-1987,7x10³ cel 1⁻¹ y acompañados de otros fitoflagelados, como *Cryptomonas* spp. y *Pyramimonas* spp. que presentaron concentraciones entre 326-558x10³ cel

l<sup>-1</sup>. La temperatura superficial del mar se mantuvo entre 15 y 15,8 °C (Jones & Rhodes 1994). Para el caso del bloom de la Bahía de Saldanha, ningún parámetro biológico ni ambiental fue medido (Sym *et al.* 2004). En ambos eventos se produjo la coloración verde.

Esta comunicación breve tiene por objetivo complementar el registro del bloom de *Tetraselmis* sp. ocurrido en la Bahía de Valparaíso, con mediciones de radiación ultravioleta A (UVA) y ultravioleta B (UVB) expresadas en anomalías, absorción espectral del material particulado (Ap( $\lambda$ )) y extinción de la luz, con el fin de describir las condiciones ambientales que se presentaron durante el bloom de enero de 2006

Los datos de radiación ultravioleta (UV) fueron proporcionados por la Estación Campbell CR 10X, equipada con sensores NR-LITE-CNR1 a 60m sobre el nivel del mar de la Universidad Técnica Federico Santa María, Sede Viña del Mar, Chile (33°02`05.50``S; 71°35`44.54``O). Los datos de magnitud - dirección del viento por la Gobernación Marítima de Valparaíso (32°55`19.09``S, 71°32'31.48''O). La absorción espectral del material particulado suspendido se estimó de acuerdo a Mitchell (1990), con un espectrofotómetro UV-VIS Shimadzu-2500, en cuatro estaciones costeras a lo largo de la bahía (Estación 1, 32° 57`25,7``S; 71° 33` 08,2``O, Estación 2, 32° 59'54''S; 71° 33' 06,4''O, Estación 3, 33° 00'14,3''S; 71° 33` 10,6``O, Estación 4, 33° 00`37,1``S; 71° 33` 22,6``O) y las mediciones de atenuación de la luz fueron medidas con disco de Secchi.

Los niveles de radiación UV están expresados en anomalía diaria, tanto para UVA como para UVB. La data considerada

<sup>&</sup>lt;sup>1</sup>Universidad de Valparaíso, Centro de Investigación y Gestión de los Recursos Naturales, Facultad de Ciencias, Gran Bretaña 1111, Valparaíso, Chile.

<sup>&</sup>lt;sup>2</sup>University of Southern California, Department of Biological Sciences, Los Angeles, CA, 90089-0371, USA.

<sup>&</sup>lt;sup>3</sup>Universidad Católica de Valparaíso, Departamento de Oceanografía Física, Avenida Altamirano 1424, Valparaíso, Chile.

<sup>&</sup>lt;sup>4</sup>Naval Research Laboratory, Ocean Sciences, Stennis Space Center, MS, 39529, USA. manepizarro@gmail.com

para calcular esta anomalía fue desde el año 2002 al 2006. La anomalía es dada por la diferencia entre el valor máximo de radiación UVA y UVB diaria observadas desde diciembre 2005 a enero 2006 y el promedio de los valores de radiación UVA y UVB respectivamente, registrados a las 13 h desde el año 2002 al 2006. Una anomalía positiva indica que el nivel de radiación UV fue más alto que el registrado desde

el año 2002 al 2006. Mientras que una anomalía negativa, indica lo contrario.

Las condiciones ambientales durante el bloom se caracterizaron por presentar los niveles más altos de radiación UVA y UVB registrados desde el año 2002 al 2006. Esto se puede observar en la anomalía positiva que produjo (Fig. 1) y baja magnitud de los vientos (Fig. 2c).




FIGURA 1. Anomalía de la radiación UVA y UVB durante diciembre 2005 y enero 2006.

FIGURE 1. UVA and UVB radiation anomaly during December 2005 and January 2006.




FIGURA 2. a) Gráfico de frecuencia (%), b) Rosa de frecuencia de la dirección del viento, c) Magnitud del viento (m s<sup>-1</sup>) y d) Dirección del viento (grados), durante diciembre 2005 y enero 2006.

FIGURE 2. a) Frecuency graphic (%), b) Frecuency Rose of the direction of wind, c) Magnitude of wind (m s<sup>-1</sup>) and d) Direction of wind (degrees), during December 2005 and January 2006.

Los gráficos de absorción espectral muestran peaks a 440 nm y 675 nm, correspondiendo a la absorción de la clorofila *a* y a 480 nm y 650 nm de la clorofila *b*. confirmando que el bloom estuvo formado específicamente

por *Tetraselmis* sp. (Fig. 3) con elevadas concentraciones celulares, lo cual disminuyó la zona fótica a tres metros de profundidad (Fig. 4).




Figura 3. Absorción espectral del material particulado suspendido  $Ap(\lambda)$  de las cuatro estaciones de la Bahía de Valparaíso, durante los primeros días de enero de 2006.

FIGURE 3. Spectral absorption of suspended particulate matter  $Ap(\lambda)$ , collected along the four stations of the Valparaiso Bay, during the first days of January of 2006.

Cabe destacar la coincidencia temporal de los tres blooms de *Tetraselmis* sp.: durante diciembre y enero, un periodo correspondiente a los más altos niveles de radiación UV registrados en el Hemisferio Sur. Su alta tolerancia a la radiación UV está descrita (Jokiel & York 1984, Montero *et al.* 2002).

En conclusión, el bloom de *Tetraselmis* sp. se desarrolló

durante un periodo de altos niveles de radiación UV, baja magnitud de los vientos y elevadas concentraciones de nutrientes. La alta tolerancia a la radiación UV de *Tetraselmis* sp. pudo ser el factor excluyente de las especies de diatomeas, permitiendo alcanzar una alta densidad celular, debido al rápido consumo de nutrientes disponibles y en consecuencia reduciendo la zona fótica a sólo tres metros.




Figura 4. Coeficiente de atenuación de la luz K<sub>d</sub> (m<sup>-1</sup>) desde el 4 al 6 de enero de 2006.

FIGURE 4. Light attenuation coefficient K<sub>d</sub> (m<sup>-1</sup>) from 4 to 6 January 2006.

## **AGRADECIMIENTOS**

A Gloria Collantes por identificación del género *Tetraselmis*. Universidad Técnica Federico Santa María. Gobernación Marítima de Valparaíso. Revisores por sus comentarios. Programa MECESUP-Chile.

# **BIBLIOGRAFÍA**

AVARIA, S. 1971. Variaciones mensuales del fitoplancton de la Bahía de Valparaíso entre Julio de 1963 y Julio 1966. Revista de Biología Marina y Oceanografía 14(3): 15-43.

ALVEAL, K. & S. AVARIA. 1982. Proliferación de primavera del fitoplancton en la Bahía de Valparaíso. II. Dinámica de las comunidades. Revista de Biología Marina y Oceanografía 18(1): 1-56.

Collantes, G. & R. Prado. 2006. Green bloom of *Tetraselmis* sp. in Valparaiso Bay. In: T. Wyatt (ed.), Harmfull Algae New, The Intergovernmental Oceanographic Commission, N° 30, pp. 12. UNESCO, USA.

JOKIEL, P.L. & R.H. YORK. 1984. Importance of ultraviolet radiation

in photoinhibition of microalgal growth. Limnology and Oceanography 29(1): 192-199.

Jones, B. & L. Rhodes. 1994. Suffocation of pilchards (*Sardinops sagax*) by a green microalgal bloom in Wellington Harbour, New Zealand. New Zealand Journal of Marine and Freshwater Research 28: 379-383.

MITCHELL, B.G. 1990. Algorithms for determining the absorption coefficient of aquatic particulates using the quantitative filter technique (QFT). In: R.W. Spinrad (ed.), Ocean Optics X 1302: 137-148.

Montero, O., M. Klisch, D.P. Häder & L. Lubian. 2002. Comparative sensitivity of seven marine microalgae to cumulative exposure to ultraviolet-B radiation with daily increasing doses. Botanica Marina 45: 305-315.

PADILLA, M. 1975. Crecimiento poblacional de *Tetraselmis suecica* (Chlorophyceae) en ambiente controlado. Revista Biología Marina 15(3): 287-296.

Sym, S., F. Khosa, C. Marangoni & G.C. Pitcher. 2004. On the identity of a bloom forming *Tetraselmis* species from Saldanha bay. 20th Congress of the Phycological Society of Southern Africa, Dissertation, University of the Witwatersrand, South Africa. 16 pp.

Recibido: 14.12.11 Aceptado: 17.04.12